

27 802 892



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 5 l/min
- inherently safe from back flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection

**Technical data:**

- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- 1/2" wall elbow
- 1/2" shower outlet

**Notes:**

|   |                                     |                    |
|---|-------------------------------------|--------------------|
|    | Chrome                              | 27 802 892-00      |
|    | Chrome                              | 27 802 892-00 0010 |
|    | Brushed Platinum                    | 27 802 892-06      |
|    | Brushed Platinum                    | 27 802 892-06 0010 |
|    | Platinum                            | 27 802 892-08      |
|    | Platinum                            | 27 802 892-08 0010 |
|    | Dark Chrome                         | 27 802 892-19      |
|    | Dark Chrome                         | 27 802 892-19 0010 |
|    | Brushed Durabrand<br>(23kt Gold)    | 27 802 892-28 0010 |
|   | Brushed Durabrand<br>(23kt Gold)    | 27 802 892-28      |
|  | Matte Black                         | 27 802 892-33      |
|  | Matte Black                         | 27 802 892-33 0010 |
|  | Brushed Dark<br>Brass (PVD)         | 27 802 892-39      |
|  | Brushed Dark<br>Brass (PVD)         | 27 802 892-39 0010 |
|  | Brushed Bronze<br>(PVD)             | 27 802 892-42      |
|  | Brushed Bronze<br>(PVD)             | 27 802 892-42 0010 |
|  | Brushed<br>Champagne (22kt<br>Gold) | 27 802 892-46 0010 |
|  | Brushed<br>Champagne (22kt<br>Gold) | 27 802 892-46      |
|  | Champagne (22kt<br>Gold)            | 27 802 892-47 0010 |
|  | Champagne (22kt<br>Gold)            | 27 802 892-47      |
|  | Brushed Chrome                      | 27 802 892-93      |
|  | Brushed Chrome                      | 27 802 892-93 0010 |
|  | Brushed Dark<br>Platinum            | 27 802 892-99      |
|  | Brushed Dark<br>Platinum            | 27 802 892-99 0010 |

27 802 892

Recommended miscellaneous




**Concealed wall elbow -**

- max. recess depth 163 mm
- min. recess depth 90 mm


35 085 970 90

27 802 892

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## TARA Hand shower set with individual rosettes - Chrome

---

TARA

27 802 892

### Certificates and sustainability


---

WRAS\_2307

Belgaqua\_21-024-2 LGA\_29

Belgaqua\_25-344-2

27 802 892



### Spare parts list

| No. | Item Number   | Name   | Quantity used | Delivery time |
|-----|---------------|--|---------------|---------------|
| 1   | 28 450 892-00 | connection                                       | 1.00          | 60            |
| 3   | 28 104 970-00 | Metal shower hose 1/2" x 1/2" x 1250 mm - Chrome | 1.00          | 2             |
| 2   | 28 050 892-00 | TARA Wall bracket - Chrome                       | 1.00          | 10            |
| 4   | 28 029 979-00 | SERIES-VARIOUS Hand shower - Chrome              | 1.00          | 2             |