


36 427 809 Product version from 4/1/2025




- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS

	Chrome	36 427 809-00
	Brushed Platinum	36 427 809-06
	Platinum	36 427 809-08
	Dark Chrome	36 427 809-19
	Brushed Durabronze (23kt Gold)	36 427 809-28
	Brushed Dark Brass (PVD)	36 427 809-39
	Brushed Bronze (PVD)	36 427 809-42
	Brushed Champagne (22kt Gold)	36 427 809-46
	Champagne (22kt Gold)	36 427 809-47
	Brushed Dark Platinum	36 427 809-99


Required miscellaneous

	<b>Concealed thermostat -</b> •max. recess depth 136 mm •min. recess depth 80 mm	35 427 970 90
-------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------	---------------


Required miscellaneous

	<b>Concealed thermostat with built-in isolators -</b> •max. recess depth 136 mm •min. recess depth 80 mm	35 428 970 90
-------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------	---------------

Recommended miscellaneous


	<b>xGRID Attachment set for integrating in the dry wall construction -</b>	12 340 970 90
-------------------------------------------------------------------------------------	----------------------------------------------------------------------------	---------------

Required miscellaneous


	<b>xGRID Installation track 555 mm -</b>	12 360 970 90
-------------------------------------------------------------------------------------	------------------------------------------	---------------

36 427 809 Product version from 4/1/2025

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## VAIA Concealed thermostat with three function volume control - Chrome

---

VAIA


36 427 809 Product version from 4/1/2025

Certificates and sustainability

---

LGA\_29

WRAS\_250402





## VAIA Concealed thermostat with three function volume control - Chrome

VAIA

36 427 809 Product version from 4/1/2025

### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
23	09 28 10 188 90	regulator	1.00	2
5	90 12 12 002 00 90	fixing cap	1.00	2
17	09 30 01 296 90	disc	1.00	2
6	09 20 67 006-00	handle	1.00	10
13	09 12 12 051-00	base	1.00	10
1	90 90 03 170 00 90	diverter	1.00	2
2	09 12 12 053-00	base	1.00	10
11	09 28 10 187 90	regulator	1.00	2
16	09 30 30 157 90	screw	1.00	2
7	90 17 33 032 00-00	handle	1.00	10
15	09 11 02 269-00	plate	1.00	10
14	09 31 11 134 90	pin	1.00	2
22	90 15 02 013 00 90	cartridge	1.00	2
12	04 29 06 024 01-00	spindle	1.00	10
3	04 29 06 111 01-00	spindle	1.00	10
18	90 30 01 190 00 90	disc	1.00	2
21	09 24 04 257 90	nut	1.00	2
24	09 28 10 189 90	regulator	1.00	2
10	09 12 12 054 90	base	1.00	2
19	90 23 01 124 00 90	sleeve	1.00	2
8	90 30 30 124 00 90	screw	1.00	2
20	90 18 40 077 01 90	spindle	1.00	2
9	90 12 12 052 00 90	base	1.00	2
4	90 23 30 023 00 90	nut	1.00	2