

38 240 004 Product version from 1/1/2025



- under-mounted
 - 400 x 400 mm
 - sink depth 175 mm
 - suitable for base units 900 mm
 - Radius 15 mm
 - Surface finish of the drain valve cover: brushed stainless steel
 - Surface of the pull knob: chrome
 - Specific punching of the drain opening
- Drain and overflow set not included in the scope of supply. See Required miscellaneous.**
Not compatible with brushed stainless steel kitchen sinks 38 XXX 004-86.
Can only be combined with waste and overflow valve 10 410 004-86 or 10 405 004-86

Drain and overflow set not included in the scope of supply. See Required miscellaneous.

Not compatible with brushed stainless steel kitchen sinks 38 XXX 004-86.

Can only be combined with waste and overflow valve 10 410 004-86 or 10 405 004-86

Required miscellaneous



Pop-up waste and overflow with electronic control - Brushed Stainless Steel 10 410 004-86


Required miscellaneous



Basin Waste mechanical - Brushed Stainless Steel 10 405 004-86


38 240 004 Product version from 1/1/2025

mm [inches]
1:10



Certificates and sustainability

Leistungserklärung_ declaration_of_perfo
DOD rmance_DOD



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
5	10 405 004-86	Basin Waste mechanical - Brushed Stainless Steel	1.00	2
2	90 11 01 125 00 90	seal	2.00	2
3	90 38 00 010 00 90	fixing set	2.00	2
1	90 11 01 135 00-86	strainer	2.00	30
4	90 11 01 211 00 90	pop-up waste	2.00	2
6	10 410 004-86	Pop-up waste and overflow with electronic control - Brushed Stainless Steel	1.00	2